#### STATE OF ILLINOIS

# **ILLINOIS COMMERCE COMMISSION**

North Shore Gas Company :

Proposed General Increase

In Rates For Gas Service : No. 14-0224

and

No. 14-0225

The Peoples Gas Light and Coke Company : Consol.

:

Proposed General Increase :

In Rates For Gas Service :

## Rebuttal Testimony of

#### JOYLYN C. HOFFMAN MALUEG

Rate Case Consultant – Regulatory Affairs Integrys Business Support, LLC

On Behalf of North Shore Gas Company and The Peoples Gas Light and Coke Company

# **TABLE OF CONTENTS**

			<u>Page</u>
I.	INTR	ODUCTION AND BACKGROUND	1
	A.	Identification of Witness	1
	B.	Purpose of Rebuttal Testimony	1
	C.	Summary of Conclusions	2
	D.	Itemized Attachments to Rebuttal Testimony	2
II.	ALLC	OCATION OF T&D ASSETS AND COSTS WITH ECOSS	3
III.		NIATING BETWEEN SMALL AND LARGE DISTRIBUTION NS WITHIN THE UTILITIES' ECOSS	8
IV.	ACRO	OSS-THE-BOARD INCREASE	11

#### I. <u>INTRODUCTION AND BACKGROUND</u>

#### 2 A. <u>Identification of Witness</u>

- 3 Q. Please state your name and business address.
- 4 A. My name is Joylyn C. Hoffman Malueg. My business address is Integrys Energy Group,
- Inc. ("Integrys"), 700 North Adams Street, P.O. Box 19001, Green Bay, Wisconsin
- 6 54307-9001.

1

- 7 O. Are you the same Joylyn C. Hoffman Malueg who provided direct testimony on
- 8 behalf of The Peoples Gas Light and Coke Company ("Peoples Gas") and North
- 9 Shore Gas Company ("North Shore") (together, "the Utilities") in these
- 10 **consolidated dockets?**
- 11 A. Yes.

#### 12 **B.** Purpose of Rebuttal Testimony

- 13 Q. What is the purpose of your rebuttal testimony in this proceeding?
- 14 A. The purpose of my rebuttal testimony is to respond to issues raised by the Illinois
- 15 Industrial Energy Consumers ("IIEC") witness Brian C. Collins in these proceedings
- 16 concerning the embedded cost of service studies ("ECOSSs") and their proper cost
- allocation. I also reviewed IIEC witness Amanda M. Alderson's testimony and exhibit.
- Specifically, my testimony addresses Mr. Collins' direct testimony regarding:
- 19 1. the allocation of transmission and distribution ("T&D") assets and costs
- within the ECOSSs.

- 2. the allocation of mains smaller than 4 inches in diameter to Service
  22 Classification ("S.C.") No. 4, Large Volume Demand Service, within the
  23 ECOSSs.
  - 3. an across-the-board increase, which would be based upon each Utilities' overall percentage of revenue deficiency.

#### C. Summary of Conclusions

24

25

26

35

- 27 Q. Please summarize the conclusions of your rebuttal testimony.
- 28 A. In brief, the conclusion of my rebuttal testimony is that the ECOSSs initially filed by the
  29 Utilities within my direct testimony (PGL Exhibits ("Exs.") 14.1 through 14.8, and NS
  30 Exs. 14.1 through 14.8) are a reasonable estimate of revenue requirements by customer
  31 class, and are a reasonable basis for supporting the rates initially proffered in this case by
  32 the Utilities' witness Ms. Debra Egelhoff. Mr. Collins' proposed changes to the ECOSSs
  33 are not warranted. Ms. Egelhoff addresses his rate design proposals in her rebuttal
  34 testimony (NS-PGL Ex. 29.0).

#### D. <u>Itemized Attachments to Rebuttal Testimony</u>

- 36 Q. Are there any attachments to your rebuttal testimony?
- 37 A. Yes. I am sponsoring the following exhibits:
- NS-PGL Ex. 28.1 Utilities' responses to IIEC data requests providing
   information on their T&D systems and allocation methods utilized against these
   costs in past dockets
- NS-PGL Ex. 28.2 Service Classifications served directly by small and large distribution mains
- NS-PGL Ex. 28.3 Correction made to Mr. Collins' IIEC Ex. 1.1

#### 44 II. <u>ALLOCATION OF T&D ASSETS AND COSTS WITH ECOSS</u>

- 45 Q. Please summarize the ECOSS issue with respect to allocation of T&D assets and
- 46 costs addressed in the direct testimony of parties in this proceeding.
- 47 A. IIEC witness Mr. Collins proposes to allocate T&D assets and costs on the basis of the
- 48 Coincident Peak demand allocation method. Collins Dir., IIEC Ex. 1.0, 24:520-528.
- 49 Illinois Commerce Commission ("Commission") Staff witness Mr. William R. Johnson
- has no objection to the use of the Average and Peak demand allocation method against
- 51 T&D costs. Johnson Dir., Staff Ex. 4.0, 7:160-8:162.
- 52 Q. How do the Utilities allocate demand classified T&D assets and costs within the
- 53 ECOSSs?
- A. As stated within my direct testimony (PGL Ex. 14.0 and NS Ex. 14.0), the Utilities utilize
- 55 the Average and Peak demand allocation method.
- O. Why do the Utilities allocate demand classified T&D assets and costs within the
- 57 ECOSSs with the Average and Peak demand allocation method?
- As stated within my direct testimony, there are a few reasons why the Utilities utilize the
- Average and Peak demand allocation method against demand classified T&D assets.
- First, the Commission directed the Utilities to use the Average and Peak demand
- allocation methodology (please see ICC Docket Nos. 07-0241/07-0242 (cons.) ("2007
- Rate Cases"), Order Feb. 5, 2008, p. 199). The Utilities have utilized the Average and
- Peak demand allocation methodology in ECOSSs filed in dockets since then against both
- T&D assets and costs to limit the scope of contested issues, and use of that method has

been uncontested. The Utilities have again used the Average and Peak demand methodology in this proceeding.

- Q. Is the Average and Peak demand allocation method a reasonable allocation method
   to apply against demand classified assets and costs?
- 69 A. Yes. Many arguments were presented in the 2007 Rate Cases with respect to the Average 70 and Peak demand allocation method as well as the Coincident Peak demand allocation 71 method that Mr. Collins (Collins Dir., IIEC Ex. 1.0, 4:94 - 19:413) advocates in this case. 72 After reviewing the many arguments within the record of that docket for both methods, 73 the Commission found that the use of the Average and Peak demand allocation method 74 was reasonable. Additionally, the National Association of Regulatory Utility Commissioners ("NARUC") in its Gas Distribution Rate Design Manual ("Gas 75 Manual"), June 1989, states at pages 27-28 that the Average and Peak demand allocation 76 77 method is a commonly used demand allocator for natural gas distribution utilities, and 78 that this method "tempers the apportionment of costs between the high and low load 79 factor customers." Lastly, Staff witness Mr. Johnson states that he has no objection to the 80 use of the Average and Peak demand allocation method against T&D costs. Johnson 81 Dir., Staff Ex. 4.0, 7:160-8:162.
  - Q. Is Mr. Collins correct that the Utilities supported the Coincident Peak allocator for T&D investment in prior cases. Collins Dir., IIEC Ex. 1.0, 18: 373-384?
- A. Yes. In the 2007 Rate Cases, which I discussed above and within the Utilities' responses to IIEC data requests 1, the Utilities proposed a Coincident Peak allocator. However, the

82

<sup>&</sup>lt;sup>1</sup> Please see NS-PGL Ex. 28.1, the Utilities' responses to IIEC data requests IIEC 6.02 and IIEC 6.14.

Commission rejected that allocator and, subsequent to that case, the Utilities have consistently used an Average and Peak allocator for T&D investment.

- Q. Are there other reasons as to why the Average and Peak demand allocation method provides a more reasonable allocation method to apply against demand classified assets and costs than a Coincident Peak demand allocation method?
- 91 A. Yes. While IIEC witness Mr. Collins continually remarks that the Utilities' T&D system 92 is designed to meet peak day demand, the Utilities repeatedly stated in data responses to 93 the IIEC that peak day demand, while being the primary factor, is not the only factor that is taken into consideration when designing the system<sup>2</sup>. Mr. Collins agreed, in response 94 to NS-PGL data request IIEC 2.06, that coincident peak demands are not the only factor 95 96 when designing a T&D system. The Average and Peak demand allocation method is a reasonable method that provides "compromise" and "tempers" cost apportionment 97 98 (NARUC, Gas Manual, June 1989). Mr. Collins, in response to NS-PGL data request 99 IIEC 2.08, agrees that the NARUC manual is an authoritative source.
- Q. Do the Utilities agree with Mr. Collins' statements within his direct testimony (Collins Dir., IIEC Ex. 1.0, 5:113-116) that the Average and Peak demand method should be discredited because it double-counts Average Demands?
- 103 A. No. While numerically, a customer's Average Demands are lower than a customer's
  104 Peak Demand, the Utilities are not convinced by Mr. Collins' theory that Average
  105 Demands are being double-counted within the Average and Peak demand allocation

<sup>&</sup>lt;sup>2</sup> Please see NS-PGL Ex. 28.1 for examples of other factors that the Utilities consider when designing the T&D system.

method. Nor does the NARUC in its Gas Manual provide any criticism against the Average and Peak demand method based upon a double-counting premise.

Coincident Peak demand can generally be described as either a customer's or customer classes' demand at the time of system peak. Average Demand is calculated by simply taking a customer's, or customer classes', annual usage and dividing it by the 365 days in a year to arrive at an average daily usage, or sometimes referred to as Average Demand. These are two different mathematical calculations and terminologies, and Mr. Collins' agrees with this fact<sup>3</sup>. Yet, simply because average demand values are smaller than coincident peak demand values should not imply that the Average and Peak demand allocation method should be discredited because it is "double-counting".

The theory that an Average and Peak demand allocation method is premised upon is this: demand costs are attributable to both average use as well as peak demand. To align with this theory, the Average and Peak demand allocation method mathematically combines average usage and peak demand to appropriately allocate capacity costs based upon that cost causation theory. Furthermore, the Average and Peak demand allocation method also mathematically weights the portion of the allocator that is to be based upon average demand by the system load factor, further aligning the theory that it is premised upon. Mr. Collins confirms the accuracy of this calculation, as he has portrayed the formula on page 6 of his direct testimony as part of his Diagram 1.

Lastly, it should be noted that Mr. Collins' Diagram 1 at page 6 of his direct testimony is unclear. The title of his Diagram 1 is "Average and Peak Method", and the formula portrayed in this diagram is the calculation of the Average and Peak demand allocation, both of which give the impression that the diagram is portraying, in columnar

 $<sup>^{\</sup>rm 3}$  IIEC responses to NS-PGL data requests IIEC 2.15 and 2.16

format, the calculation of the Average and Peak demand allocation method. Yet, the columns of his diagram portray Average Demand and Peak Demand (*i.e.*, Factor 1 and Factor 2, respectively), in their entirety, when an accurate depiction of the Average and Peak demand allocation methodology would weight Factor 1, Average Demand, by the system load factor (or LF, as displayed in the Diagram 1 formula), and weight Factor 2, Peak Demand, by 1 minus the system load factor (or (1 – LF), as displayed in the Diagram 1 formula).

#### Q. Do the Utilities agree with Mr. Collins' calculations as shown in his IIEC Ex. 1.1?

No. Mr. Collins' calculations are incorrect for both Utilities under the section "Peak and Average Allocation". The formula in the Amount column for this section is incorrectly applying the system load factor to the Coincident Peak demand portion of this calculation, when the system load factor should appropriately be applied to the average use portion of the calculation. Correction to this formula within Mr. Collins' IIEC Ex. 1.1, *i.e.*, applying the system load factor against the average use, (1 – system load factor) against the coincident peak demands, and then summing these two parts to create the Average and Peak demand allocation method, would be consistent with the Average and Peak demand allocation method portrayed in the Utilities' PGL Ex. 14.5 and NS Ex. 14.5, as well as with the manner in which the NARUC describes this allocation methodology within its Gas Manual, June 1989. Additionally, it would be consistent with the formula that Mr. Collins displays in his Diagram 1 on page 6 of his direct testimony. NS-PGL Ex. 28.3 is a corrected version of Mr. Collins' exhibit, and shows that the values portrayed in the Amount, Net Plant \$/CCF Peak Day, and Index columns for the "Peak and Average Allocation" section are not as drastically different to the

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

Α.

- associated columns under the "Coincident Demand Allocation" section as originally portrayed in Mr. Collins' IIEC Ex. 1.1.
- Q. Mr. Collins refers to customers' "entitlement" to capacity (Collins Dir., IIEC Ex. 1.0, 11:207-210) and to customers' "rights to firm distribution capacity."

  Collins Dir., IIEC Ex. 1.0, 12:239-242. Please comment.
- 157 Customers purchase services from the Utilities under the terms and conditions of the A. 158 Utilities' tariffs. The customers do not purchase specific rights or entitlements to specific 159 capacity. Instead, they have a right to a particular quality and quantity of service based 160 on the service classifications and riders under which they receive service. Perhaps this is 161 not a substantive difference between the Utilities and Mr. Collins, and just differing terminology, but to the extent the concept of customers having an entitlement or right to 162 particular capacity is driving Mr. Collins' recommendations, I disagree with that 163 164 characterization.

# 165 III. <u>DELINEATING BETWEEN SMALL AND LARGE DISTRIBUTION MAINS</u> 166 <u>WITHIN THE UTILITIES' ECOSS</u>

- Q. Please summarize the ECOSS issue with respect to delineating between small and large distribution mains addressed in the direct testimony of parties in this proceeding.
- 170 A. IIEC witness Mr. Collins proposes to delineate distribution main investment and costs
  171 within the ECOSSs between small mains (*i.e.*, pipe diameters smaller than 4 inches), and
  172 large mains (*i.e.*, pipe diameters 4 inches and greater). Additionally, Mr. Collins
  173 proposes that S.C. No. 4 be removed from the allocation of small distribution mains

based upon the premise that there are a small number of S.C. No. 4 customers taking service directly from small distribution mains.

- Q. Do the Utilities delineate between small and large distribution mains within their ECOSSs?
- 178 A. No, the Utilities do not.

- Q. Do the Utilities agree it is appropriate to delineate between small and large distribution mains within their ECOSSs?
  - A. No, the Utilities do not. As shown within the Utilities' responses to IIEC data requests<sup>4</sup>, all service classifications portrayed in the Utilities' ECOSSs receive service directly from all sizes of distribution mains. The only purpose of delineating between small and large distribution mains within the Utilities' ECOSSs would be to segregate costs such that they can be allocated to the service classifications differently. However, because all of the Utilities' service classifications are served from all sizes of distribution mains, there is no reason to delineate distribution mains within the ECOSSs. Additionally, the Utilities' witnesses Mr. David Lazzaro and Mr. Mark Kinzle within their rebuttal testimonies (NS-PGL Exs. 23.0 and 31.0, respectively) explain that the Utilities' distribution systems are an integrated network of various main sizes. Simply because a customer is directly served by a large distribution main does not preclude the fact that a small distribution main is useful in providing service to such customer. Given these reasons, it is not appropriate to delineate between small and large distribution mains within the Utilities' ECOSSs.

<sup>&</sup>lt;sup>4</sup> Please see NS-PGL Ex. 28.2.

- Q. Do the Utilities agree it is appropriate to eliminate allocation of small distribution mains to S.C. No. 4 customers within its ECOSSs?
- No, the Utilities do not. As shown within the Utilities' responses to IIEC data requests<sup>5</sup>, 197 Α. 198 there are S.C. No. 4 customers that take service from small distribution mains. 199 Mr. Collins himself acknowledges this. Collins Dor., IIEC Ex. 1.0, 20:447 – 21:449. 200 Given this, it is not appropriate to exclude S.C. No. 4 from the allocation of distribution 201 mains, no matter what size. One of Mr. Collins' two alternatives (response to NS-PGL 202 data request IIEC 2.18) is not, as described below, compatible with the class-based 203 structure of the ECOSSs. Specifically, Mr. Collins suggested that, if the three customers 204 taking service from smaller diameter mains remain in the S.C. No. 4 class, then the 205 specific small distribution main costs that pertain to serving these three customers should 206 be directly assigned to the S.C. No. 4 class.

### Q. How do the Utilities' ECOSSs classify and allocate distribution mains?

A. The Utilities' ECOSSs classify distribution mains as demand related, and allocate them to the service classifications based upon the Average and Peak demand allocation method. Distribution mains are not allocated to customer classes within the Utilities' ECOSSs based upon customer counts, therefore the Utilities do not see the merit of Mr. Collin's reference and emphasis of the fact that there are only three S.C. No. 4 customers out of 180 (total within both Utilities) taking service directly from a main smaller than 4 inches. Additionally, a cost of service study looks at and performs cost allocations to customer classes, as a whole, and is not performed at an individual customer level. A cost of service study is not intended to extract or allocate specific costs for individual customers.

195

196

207

208

209

210

211

212

213

214

215

216

<sup>&</sup>lt;sup>5</sup> Please see NS-PGL Ex. 28.2.

Thus, even ignoring Messrs. Kinzle's and Lazzaro's testimony about the operation of the Utilities' systems as an integrated whole, the three S.C. No. 4 customers taking service from smaller diameter main ought not to receive a different cost of service than the other S.C. No. 4 customers, nor should all the S.C. No. 4 customers receive no allocation of smaller diameter main costs when some customers directly receive service from those mains. Similarly, allocating to S.C. No. 4 only the costs of the specific main serving the three customers is a selective exception to the class-based nature of the ECOSSs, and it is not feasible to begin making exceptions for particular costs. Given these reasons, in addition to the explanations above, it is not appropriate to exclude S.C. No. 4 from the allocation of distribution mains, no matter what size.

#### 227 IV. <u>ACROSS-THE-BOARD INCREASE</u>

- 228 Q. Please summarize the ECOSS issue with respect to an across-the-board revenue
- allocation.

217

218

219

220

221

222

223

224

225

- 230 A. IIEC witness Mr. Collins proposes an across-the-board revenue allocation, meaning that
- each service classification is to receive the same percentage of revenue deficiency as the
- overall Utility is showing corporately, regardless of what an ECOSS is showing as the
- revenue deficiency for each individual service classification. Collins Dir., IIEC Ex. 1.0,
- 234 24:530-533.
- 235 Q. Do the Utilities agree it is appropriate to allocate revenue deficiency by service
- classification within an ECOSS in an across-the-board manner as proposed by
- 237 Mr. Collins?

A. No, the Utilities do not. I will address the proposal from an ECOSS perspective.

Utilities' witness Ms. Egelhoff will address Mr. Collins' proposal from a rate design perspective.

Mr. Collins' proposal of an across-the-board revenue allocation does not have merit from an ECOSS perspective. Allocating the same revenue deficiency to each service classification provides no regard to the results of the ECOSSs, which provides the portrayal of cost causation by service classification. While Mr. Collins contends that the Utilities' ECOSSs are flawed, IIEC witness Ms. Alderson provides IIEC Ex. 2.1 at the direction of Mr. Collins (Collins Dir., IIEC Ex. 2.0, 2:30 – 32), to correct what the IIEC has characterized as flaws in the Utilities' ECOSSs. Yet by advocating an across-theboard revenue allocation, Mr. Collins himself chooses to ignore the results of Ms. Alderson's proposed ECOSS results as shown in IIEC Ex. 2.1, which clearly shows differing revenue deficiencies by service classification. Additionally, if Mr. Collins' proposal for an across-the-board revenue allocation was meant to be performed within the ECOSSs, his direct testimony did not provide any support for performing such an adjustment, which would have impacts upon cost classifications within the ECOSSs, which in turn subsequently would have impacts upon rate design. Therefore, Mr. Collins' across-the-board proposal is incomplete and unsupported.

#### 256 Q. Does this conclude your rebuttal testimony?

257 A. Yes.

241

242

243

244

245

246

247

248

249

250

251

252

253

254